

CAPE FEAR RIVER BASIN

02097314 NEW HOPE CREEK NEAR BLANDS, NC--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1983-86, 1989 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: December 1982 to September 1985.

WATER TEMPERATURE: December 1982 to September 1985.

INSTRUMENTATION.--Water-quality monitor from October 1982 to September 1985.

REMARKS.--Station operated to define water quality as part of a six-county regional surface-water quality assessment.

COOPERATION.--Samples for October 1994 and April 1995 were collected by the North Carolina Department of Environment, Health, and Natural Resources. A GC/FID scan for trace organic compounds was performed on these samples by the U.S. Geological Survey Water Quality Lab. Results may be obtained from the District office in Raleigh.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 535 microsiemens, Sept. 30, 1984; minimum, 38 microsiemens, Mar. 6, 7, 1984.

WATER TEMPERATURE: Maximum, 27.5°C, Aug. 23, 1983; minimum, 0.0°C, Jan. 21, 22, 1985.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1994 TO SEPTEMBER 1995

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND (00061)	SPE- CIFIC CON- DUCT- ANCE (US/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	OXYGEN, DIS- SOLVED (MG/L) (00300)
OCT 24...	1030	26	316	7.2	19.0	4.5
APR 27...	1120	11	290	7.0	21.0	8.7

CAPE FEAR RIVER BASIN

02097314 NEW HOPE CREEK NEAR BLANDS, NC--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1983-86, 1989 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: December 1982 to September 1985.

WATER TEMPERATURE: December 1982 to September 1985.

INSTRUMENTATION.--Water-quality monitor from October 1982 to September 1985.

REMARKS.--Station operated to define water quality as part of a six-county regional surface-water quality assessment.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 535 microsiemens, Sept. 30, 1984; minimum, 38 microsiemens. Mar. 6, 7, 1984.

WATER TEMPERATURE: Maximum, 27.5°C, Aug. 23, 1983; minimum, 0.0°C, Jan. 21, 22, 1985.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1996 TO SEPTEMBER 1997

DATE	TIME	DIS-CHARGE, INST. CUBIC FEET PER SECOND (00061)	SPE-CIFIC CON-DUCT-ANCE (US/CM) (00095)	PH WATER WHOLE FIELD (STAND-ARD UNITS) (00400)	TEMPER-ATURE WATER (DEG C) (00010)	COLOR (PLAT-INUM-COBALT UNITS) (00080)	BARO-METRIC PRES-SURE (MM OF HG) (00025)	OXYGEN, DIS-SOLVED (PER-CENT SATUR-ATION) (00300)	OXYGEN, DIS-SOLVED (PER-CENT SATUR-ATION) (00301)	HARD-NESS TOTAL (MG/L AS CACO3) (00900)	CALCIUM DIS-SOLVED (MG/L AS CA) (00915)	MAGNE-SIUM, DIS-SOLVED (MG/L AS MG) (00925)	
APR 23...	0945	247	128	6.45	12.5	80	748	7.53	72	36	9.6	3.0	
DATE		SODIUM, DIS-SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	SODIUM AD-SORP-TION RATIO (00931)	POTAS-SIUM, DIS-SOLVED (MG/L AS K) (00935)	SULFATE DIS-SOLVED (MG/L AS SO4) (00945)	CHLO-RIDE, DIS-SOLVED (MG/L AS CL) (00940)	FLUO-RIDE, DIS-SOLVED (MG/L AS F) (00950)	SILICA, DIS-SOLVED (MG/L AS SIO2) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS-SOLVED (MG/L) (70300)	NITRO-GEN, NITRITE DIS-SOLVED (MG/L AS N) (00613)	NITRO-GEN, NO2+NO3 DIS-SOLVED (MG/L AS N) (00631)	NITRO-GEN, AMMONIA DIS-SOLVED (MG/L AS N) (00608)
APR 23...	8.4	31	.6	3.0	11	9.4	.1	7.9	92	.017	1.1	.151	

CAPE FEAR RIVER BASIN

02097314 NEW HOPE CREEK NEAR BLANDS, NC--Continued

WATER-QUALITY RECORDS

DATE	NITRO- GEN, ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO- GEN, TOTAL (MG/L AS N) (00600)	PHOS- PHORUS TOTAL (MG/L AS P) (00665)	PHOS- PHORUS ORTHO, DIS- SOLVED (MG/L AS P) (00671)	ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL) (01105)	ARSENIC TOTAL (UG/L AS AS) (01002)	CADMIUM WATER UNFLTRD TOTAL (UG/L AS CD) (01027)	CHRO- MIUM, TOTAL RECOV- ERABLE (UG/L AS CR) (01034)	COBALT, TOTAL RECOV- ERABLE (UG/L AS CO) (01037)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU) (01042)
APR 23...	.89	1.0	2.1	.22	.087	40	1	<1	2.0	1	5
DATE	IRON, TOTAL RECOV- ERABLE (UG/L AS FE) (01045)	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB) (01051)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN) (01055)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG) (71900)	MOLYB- DENUM, TOTAL RECOV- ERABLE (UG/L AS MO) (01062)	NICKEL, TOTAL RECOV- ERABLE (UG/L AS NI) (01067)	SELE- NIUM, TOTAL RECOV- ERABLE (UG/L AS SE) (01147)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG) (01077)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN) (01092)	CARBON, ORGANIC TOTAL (MG/L AS C) (00680)	BED MAT. SIEVE DIAM. % FINER THAN .062 MM (80164)
APR 23...	1900	4	230	<.1	<1.0	3	<1	<1	20	9.9	200

CAPE FEAR RIVER BASIN

02097314 NEW HOPE CREEK NEAR BLANDS, NC--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1983-86, 1989 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: December 1982 to September 1985.

WATER TEMPERATURE: December 1982 to September 1985.

INSTRUMENTATION.--Water-quality monitor from October 1982 to September 1985.

REMARKS.--Station operated to define water quality as part of a six-county regional surface-water quality assessment.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 535 microsiemens, Sept. 30, 1984; minimum, 38 microsiemens. Mar. 6, 7, 1984.

WATER TEMPERATURE: Maximum, 27.5°C, Aug. 23, 1983; minimum, 0.0°C, Jan. 21, 22, 1985.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1997 TO SEPTEMBER 1998

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND (00061)	SPE- CIFIC CON- DUCT- ANCE (US/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	BARO- METRIC PRES- SURE (MM OF HG) (00025)	OXYGEN, DIS- SOLVED (PER- CENT SOLVED (MG/L) (00300)	OXYGEN, DIS- SOLVED (PER- CENT SOLVED (MG/L) (00301)	BICAR- BONATE IT-FLD (MG/L AS HCO3) (99440)	ANC UNFLTRD CARBON- ATE IT-FLD (MG/L - CAC03) (99430)
OCT 23...	1230	15	304	7.1	16.0	765	8.6	87	--	--
DEC 04...	1000	34	230	--	12.2	745	8.6	82	--	--
MAR 05...	0845	52	190	6.8	9.7	762	9.1	80	--	--
JUN 11...	1245	31	215	7.2	23.0	761	6.9	81	45	37

CAPE FEAR RIVER BASIN

02097314 NEW HOPE CREEK NEAR BLANDS, NC--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1983-86, 1989 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: December 1982 to September 1985.

WATER TEMPERATURE: December 1982 to September 1985.

INSTRUMENTATION.--Water-quality monitor from October 1982 to September 1985.

REMARKS.--Station operated to define water quality as part of a six-county regional surface-water quality assessment.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 535 microsiemens, Sept. 30, 1984; minimum, 38 microsiemens. Mar. 6, 7, 1984.

WATER TEMPERATURE: Maximum, 27.5°C, Aug. 23, 1983; minimum, 0.0°C, Jan. 21, 22, 1985.

WATER-QUALITY DATA, WATER YEAR OCTOBER 1998 TO SEPTEMBER 1999

DATE	TIME	DIS- CHARGE, INST. CUBIC FEET PER SECOND (00061)	SPE- CIFIC CON- DUCT- ANCE (US/CM) (00095)	PH WATER WHOLE FIELD (STAND- ARD UNITS) (00400)	TEMPER- ATURE WATER (DEG C) (00010)	COLOR (PLAT- INUM- COBALT UNITS) (00080)	BARO- METRIC PRES- SURE (MM OF HG) (00025)	OXYGEN, DIS- SOLVED (PER- CENT SOLVED SATUR- ATION) (MG/L) (00300)	OXYGEN, DIS- SOLVED (PER- CENT SOLVED SATUR- ATION) (MG/L) (00301)	HARD- NESS TOTAL (MG/L AS CACO3) (00900)	CALCIUM DIS- SOLVED (MG/L AS CA) (00915)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) (00925)
SEP 07...	1150	1900	57	6.1	22.1	100	754	5.7	67	17	4.7	1.4
DATE		SODIUM, DIS- SOLVED (MG/L AS NA) (00930)	SODIUM AD- SORP- TION RATIO (00931)	POTAS- SIUM, DIS- SOLVED (MG/L AS K) (00935)	SULFATE DIS- SOLVED (MG/L AS SO4) (00945)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL) (00940)	FLUO- RIDE, DIS- SOLVED (MG/L AS F) (00950)	SILICA, DIS- SOLVED (MG/L AS SIO2) (00955)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) (70300)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N) (00613)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N) (00631)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) (00608)
SEP 07...	2.7	23	.3	2.0	5.9	2.5	<.10	6.7	95	.008	.118	.009
DATE		NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N) (00605)	NITRO- GEN, TOTAL (MG/L AS N) (00625)	PHOS- PHORUS TOTAL (MG/L AS P) (00665)	PHOS- PHORUS TOTAL (MG/L AS P) (00671)	ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL) (01105)	ARSENIC TOTAL (UG/L AS AS) (01002)	CADMIUM WATER TOTAL UNFLTRD (UG/L AS CD) (01027)	CHRO- MIUM, TOTAL RECOV- ERABLE (UG/L AS CR) (01034)	COBALT, TOTAL RECOV- ERABLE (UG/L AS CO) (01037)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU) (01042)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE) (01045)
SEP 07...	.79	.80	.92	.114	.051	690	1	<1	2	<1	11	680
DATE		LEAD, TOTAL RECOV- ERABLE (UG/L AS PB) (01051)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN) (01055)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG) (71900)	MOLYB- DENUM, TOTAL RECOV- ERABLE (UG/L AS MO) (01062)	NICKEL, TOTAL RECOV- ERABLE (UG/L AS NI) (01067)	SELE- NIUM, TOTAL RECOV- ERABLE (UG/L AS SE) (01147)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG) (01077)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN) (01092)	CARBON, ORGANIC TOTAL (MG/L AS C) (00680)	SEDI- MENT, SUS- PENDE (MG/L) (80154)	SEDI- MENT, DIS- CHARGE, SUS- PENDE (T/DAY) (80155)
SEP 07...	2	20	<.10	<1	2	<1	<1	<1	90	14	20	105

